

AM LABEL DEACTIVATION SOLUTIONS

STANDARD AND HD DEACTIVATORS

A label deactivator is a necessary component of any security solution requiring consumable labels. AMERSEC® offers multiple deactivation solutions to meet the needs of a wide range of retailers, including the possibility of scanner or self-operated POS integration.

The AM (Acousto-Magnetic) STANDARD deactivator is a full-featured device and includes audible and visual deactivation indications as well as a large deactivation zone with high-speed throughput. The Metal case provides an extra durability, which makes it the best option as it is prevented from the physical disturbance of the deactivator.

It is a smart device that can provide a full overview of deactivation activities, and is StoreMonitor compatible for fast remote maintenance and setup.



Features & options:

- StoreMonitor data management
- Remote tuning/maintenance
- Event management
- Air synchronization
- Status and deactivation LED indicators
- POS scanner integration
- Deactivation range up to 18 cm
- Key lock
- Deactivation audio indication
- Compatibility with most AM systems and labels on the market

Technical specification

Input:	100–240V, 50/60 Hz
Operating frequency:	58 kHz
Sweep frequency:	57.8–58.2 kHz
Deactivation rate:	2 /sec
Consumption detection:	3 W
Consumption deactivation:	10 W
Operating temperature:	0–50 °C
Product code:	P-ADSC / P-ADHC
Dimensions Standard:	183 x 166 x 53 mm
Weight:	1,21 kg
Dimensions HD:	187 x 166 x 55 mm
Weight:	1,25 kg

The standard deactivator can be installed in any type of store where AM labels are used. Depending on the specific needs of each store, you can choose from our extensive range of PADs:

DESKTOP PAD

Designed for stores where the deactivation pad must be placed on top of the cash desk. The cable extends from the side and can be easily covered without the need to cut the cash desk.



Dimensions: 160 × 160 × 22 mm
Hole size: -
Weight: 0.6 kg
Cable length: 1.5 m
Deactivation height: 10 cm
Product code: P-ADSP1

INBUILT PAD

A flush-mount design that requires a customized hole to be cut into the cash desk. The majority of the pad is hidden from view and creates a more seamless deactivation area.



Dimensions: 190 × 190 × 4 mm
Hole size: 165 × 165 × 11 mm
Weight: 0.56 kg
Cable length: 1.5 m
Deactivation height: 10 cm
Product code: P-ADSP2

DESKTOP PAD XL

A more powerful version of our standard Desktop Pad. The XL size has been designed to meet the needs of retail environments that sell larger merchandise and therefore require a greater deactivation height.



Dimensions: 210 × 210 × 22 mm
Hole size: -
Weight: 0.8 kg
Cable length: 1.5 m
Deactivation height: 12 cm
Product code: P-ADSP1L

INBUILT PAD XL

NEW

A more powerful version of our standard Inbuilt Pad. The XL size has been designed to meet the needs of retail environments that sell larger merchandise and therefore require a greater deactivation height.



Dimensions: 226 × 226 × 4 mm
Hole size: 185 × 185 × 11 mm
Weight: 0.8 kg
Cable length: 1.5 m
Deactivation height: 12 cm
Product code: P-ADSP2L

SENSO PAD

A longer pad shape that has been designed to meet the demand for these commonly used dimensions. The pad fits flush-mount into a standard hole size. It is suitable for a range of retail environments including grocery, DIY, and hypermarkets.



Dimensions:	355 × 165 × 4 mm
Hole size:	325 × 95 × 11 mm
Weight:	0.7 kg
Cable length:	1.5 m
Deactivation height:	13 cm
Product code:	P-ADSP3

SENSO PAD XL

NEW

Ideal for retailers who want to maximize transaction throughput, the SENSO PAD XL is our most powerful deactivation pad. The elongated shape and multi-directional field create a deactivation coverage area that surpasses most retail requirements.



Dimensions:	430 × 211 × 4 mm
Hole size:	365 × 168 × 21 mm
Weight:	1.2 kg
Cable length:	1.5 m
Deactivation height:	18 cm
Product code:	P-ADSP3L

CONVEYOR PAD

NEW

Designed for installation under a conveyor belt or under the checkout desk. Discreet and powerful, it delivers reliable deactivations which lead to expedite customer service and experience.



Dimensions:	350 × 230 × 16 mm
Hole size:	-
Weight:	1.6 kg
Cable length:	1.5 m
Deactivation height:	18 cm
Product code:	P-ADSPLOW

The AM deactivator can be integrated into some of the most widespread product scanners on the market. The deactivation loop is provided in a form factor that makes the integration into compatible scanners simple, while maintaining the warranty of the scanner.

AM SCANNER LOOP M8300/8400 —

NEW

This deactivation loop is a high-performance, easy-to-install solution which can be integrated within some of the most common POS scanners used on the market - Datalogic Magellan M8300 or 8400. The AM deactivation loop takes up zero space from/around checkstand and reduces installation costs by eliminating the need for checkstand modifications.



Dimensions:	150 × 237 × 212 mm
Hole size:	-
Weight:	0.30 kg
Cable length:	1.5 m
Deactivation height:	12 cm
Product code:	P-SC84

AM SCANNER LOOP M9400 —

NEW

This deactivation loop is a high-performance, easy-to-install solution which can be integrated within some of the most common POS scanners used on the market - Datalogic Magellan M9400. The AM deactivation loop takes up zero space from/around checkstand and reduces installation costs by eliminating the need for checkstand modifications.



Dimensions:	205 × 203 × 10 mm
Hole size:	-
Weight:	0.30 kg
Cable length:	1.5 m
Deactivation height:	12 cm
Product code:	P-SC94

AM SCANNER LOOP M9800 —

NEW

This deactivation loop is a high-performance, easy-to-install solution which can be integrated within some of the most common POS scanners used on the market - Datalogic Magellan M9800. The AM deactivation loop takes up zero space from/around checkstand and reduces installation costs by eliminating the need for checkstand modifications.



Dimensions:	230 × 278 × 10 mm
Hole size:	-
Weight:	0.50 kg
Cable length:	1.5 m
Deactivation height:	12 cm
Product code:	P-SC98

AM SCANNER LOOP NCR7878 —

NEW

This deactivation loop is a high-performance, easy-to-install solution which can be integrated within some of the most common POS scanners used on the market - Datalogic Magellan NCR7878. The AM deactivation loop takes up zero space from/around checkstand and reduces installation costs by eliminating the need for checkstand modifications.



Dimensions:	Lower part 235 × 181 × 10 mm Upper part 195 × 197 × 16 mm
Weight:	0.7 kg
Cable length:	1.5 m
Deactivation height:	17 - 18 cm
Product code:	P-ADSCAN-78